

Hydrosol Matt Lightstop Duo F195SMSD



Issue 2 - 06

Product Data

Product type: Polyester film for solvent inkjet printing

Appearance: White

Surface finish: Matt printable coating both sides

Physical characteristics:

		Typical Value	Test method
Total Thickness μ		195	Electronic micrometer
Total Weight (gsm)		274	Internal method
CIE Coordinates	L*	95	DCI Spectraflash (D65 10° UV incl.)
	a*	4	
	b*	- 17	

Compatibility:

'Eco'solvent inks, Roland Soljet, Mutoh Rockhopper II, Seiko ColorPainter etc.

Solvent inks such as for Grenadier, Vutek etc.

Please make your own assessment though, as solvent inks can vary widely. This is more dependent on ink manufacturer and type than it is on printing machine

Applications and characteristics

- Print both sides for flat hanging banners with sharp, bright images
- Excellent light-stopping performance and flexibility, no show-through
- Dry off the printer for quick reversing
- Excellent scuff-resistance means no lamination necessary

Recommended conditions for use: 10°C - 30°C, 30% - 70% RH

for storage: 10°C - 30°C, 20% - 50% RH

Material Handling, and Shelf Life: 18 Months

NOTICE The information provided herein is correct to the best of our knowledge. No liability for any errors, facts or opinions is accepted. You must satisfy yourself as to the suitability of this product for your application. No responsibility for any loss as a result of any person placing reliance on any material contained herein can be accepted.